Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	35	(bung near2 barrel lid near4 barrel dum) and (conducting conductive) near5 material	US-PGPUB; USPAT	OR ·	ON	2006/03/15 10:12
L2	. 43	(bung near2 barrel lid near4 barrel dum) and (conducting conductive) near5 (material layer strip)	US-PGPUB; USPAT	OR .	ON	2006/03/15 10:03
L3	, 176.	(bung near2 barrel lid near4 barrel dum) and (conducting conductive) near5 (material layer strip)	US-PGPUB; USPAT; USOCR;	OR	ON	2006/03/15 10:03
		*	EPO; JPO; DERWENT; IBM_TDB			
L4	31001	(bung near2 barrel lid near4 barrel dum container) and (conducting conductive) near5 material	US-PGPUB; USPAT	OR	ON	2006/03/15 10:12
L5	1222	(bung near2 barrel lid near4 barrel dum plastic near2 container) and (conducting conductive) near5 material	US-PGPUB; USPAT	OR	ON	2006/03/15 10:17
L6	0,	(multi multiple) near4 lauer near4 container and (conducting conduct conductive) near4 material	US-PGPUB; USPAT	OR	ON	2006/03/15 10:14
L7	90	(multi multiple) near4 layer near4 container and (conducting conduct conductive) near4 material	US-PGPUB; USPAT;	OR	ON -	2006/03/15 10:14
-	* .		USOCR; EPO; JPO; DERWENT; IBM_TDB		3	75 mil 1 mil
L8	1573	(bung near2 barrel lid near4 barrel dum plastic near2 container) and (conducting conductive) near5 material	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/15 10:31
L9	408	8 and (anti near3 static electrostatic static near4 discharge static near4 charge static)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/15 10:19
L10	316	8 and (anti near3 static electrostatic static near4 discharge static near4 charge)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2006/03/15 10:34
L11	12	("2405104" "4424900" "4653640" "4722025" "4746574" "4778058" "4792042" "4875581" "5073421" "5097949" "5209964").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/03/15 10:30
L12	2	("5759649").URPN.	USPAT	OR	ON	2006/03/15 10:30
L13	21428	(bung near2 barrel lid near4 barrel drum plastic near2 container) and (conducting conductive) near5 material	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/15 10:34
L14	10214	13 and (anti near3 static electrostatic static near4 discharge static near4 charge)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/15 10:35

L15	7386	(bung near2 barrel lid near4 barrel drum plastic near2 container) same (conducting conductive) near5 material	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/15 10:39
L16	3753	15 and (anti near3 static electrostatic static near4 discharge static near4 charge)	US-PGPUB; USPAT;	OR	ON	2006/03/15 10:35
	*	V (%)	USOCR; EPO; JPO;	my"		× 1000
			DERWENT; IBM_TDB	4		
L17	1197	15 same (anti near3 static electrostatic static near4 discharge static near4 charge)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/15 10:38
L18	103	17 and (mold molding)	US-PGPUB; USPAT;	OR	ON	2006/03/15 10:36
			USOCR; EPO; JPO;			
			DERWENT; IBM_TDB			
L19	9321	(barrel drum plastic near2 container) same (conducting conductive) near5 material	US-PGPUB; USPAT; USOCR;	OR	ON	2006/03/15 10:38
		-	EPO; JPO; DERWENT; IBM_TDB			
L20	1294	19 same (anti near3 static electrostatic static near4 discharge static near4 charge)	US-PGPUB; USPAT;	OR	ON	2006/03/15 10:38
			USOCR; EPO; JPO;			
			DERWENT; IBM_TDB	e julie na Lety. Se		
L21	3115	(barrel drum plastic near2 container) near9 (conducting conductive) near5 material	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/15 10:52
L22	459	21 same (anti near3 static electrostatic static near4 discharge static near4 charge)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/15 10:53
L23	288	(bung near2 barrel lid near4 barrel drum near5 container plastic near2 container) same (conducting conductive) near5 material	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/15 10:39
L24	723	(barrel plastic near2 container) near9 (conducting conductive) near5 material .	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/15 10:52

L25	102	24 and (anti near3 static electrostatic static near4 discharge	US-PGPUB;	OR	ON	2006/03/15 11:02
		static near4 charge)	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB			
L26	. 0	dietmar adj przytulla.in.	US-PGPUB; USPAT;	OR	ON	2006/03/15 10:55
			USOCR;	, Oak		4
			EPO; JPO; DERWENT; IBM_TDB		:	
L27	172	przytulla.in.	US-PGPUB;	OR	ON	2006/03/15 10:59
			USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB			
L28	5	27 and (conduct conducting conductive)	US-PGPUB; USPAT;	OR ·	ON .	2006/03/15 11:02
		•	USOCR;	-*.	×,	
		*	EPO; JPO; DERWENT;	8 .		
			IBM_TDB			
L29	9	boogerd.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/15 11:01
L30	. 32777	container and barrel	US-PGPUB;	OR	ON.	2006/03/15 11:02
	•		USPAT; USOCR;	I dist	******	
			EPO; JPO; DERWENT; IBM_TDB	4		
L31	5549	30 and (conduct conducting conductive)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/15 11:34
L32	857	31 and (anti near3 static electrostatic static near4 discharge	US-PGPUB;	OŖ	ON	2006/03/15 11:50
		static near4 charge)	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	3	•	
L33	39	("2897100" "2985542" "3134684" "3313757" "3322614" "3328196" "3353991" "3353992" "3380844" "3438788" "3449479" "3468703" "3468994" "3557041" "3589506" "3661677" "3723168" "3746196" "3804663" "3850671" "3922451" "4041235" "4127633" "4254170").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/03/15 11:31
L34	11	("4699809").URPN.	USPAT	OR ·	ON	2006/03/15 11:31
L35	2573	plastic near4 container and (anti near3 static electrostatic static near4 discharge static near4 charge)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON .	2006/03/15 11:37

L36	1113	35 and (conduct conducting conductive)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/15 11:34
L37	367	plastic near4 container same (anti near3 static electrostatic static near4 discharge static near4 charge)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR :	ON	2006/03/15 11:34
L38	. 180	37 and (conduct conducting conductive)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/15 11:37
L39	3282	liquid near4 container and (anti near3 static electrostatic static near4 discharge static near4 charge)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/15 11:37
L40	1626	39 and (conduct conducting conductive)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/15 11:37
L41	780	39 and (conduct conducting conductive) near4 material	US-PGPUB;	OR	ON	2006/03/15 12:04
			USPAT; USOCR;	j.		
	٠.		EPO; JPO; DERWENT; IBM_TDB	4		· · · · · · · · · · · · · · · · · · ·
L42	73	39 and (conduct conducting conductive) near4 strip	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2006/03/15 11:39
L43	4	("4676373" "5289937" "5437384" "5653354").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/03/15 11:39
L44	4243	(barrel container) and (conduct conducting conductive) near4 strip	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/15 12:22
L45	831	barrel and (conduct conducting conductive) near4 strip .	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/15 11:40
L46	232	barrel same (conduct conducting conductive) near4 strip	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON .	2006/03/15 11:44

L47	94	liquid near4 container same (conduct conducting conductive) near4 strip	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/15 11:49
L48	0	hoechst adj aktieengesellschaft.as.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT;	OR	ON	2006/03/15 11:50
L49	6903	hoechst adj aktiengesellschaft.as.	IBM_TDB US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/15 11:50
L50	493	49 and container	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/15 11:50
L51)	44	50 and (anti near3 static electrostatic static near4 discharge static near4 charge)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/15 11:55
L52	317	49 and (anti near3 static electrostatic static near4 discharge static near4 charge)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/15 12:22
L53	4	52 and barrel	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/15 11:51
L54	97	plastic near3 barrel and (anti near3 static electrostatic static near4 discharge static near4 charge)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/15 11:56
L55	10115	container same (anti near3 static electrostatic static near4 discharge static near4 charge)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/15 12:03
L56	2209	55 and (conduct conducting conductive) near4 material .	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/15 12:05

				·		
L57	651	55 same (conduct conducting conductive) near4 material	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/15 12:05
L58	37	55 same (conduct conducting conductive) near4 strip	US-PGPUB; USPAT;	OR .	ON	2006/03/15 12:10
			USOCR; EPO; JPO; DERWENT; IBM_TDB			72
L59	4	("4676373" "5289937" "5437384" "5653354").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/03/15 12:06
L60	1	("6050437").URPN.	USPAT	OR	ON	2006/03/15 12:06
L61		(plastic near3 drum plastic near3 container plastic near3 barrel) same (conduct conducting conductive) near4 strip	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/15 12:11
L62	43559	(barrel container) and "220"/\$.ccls.	US-PGPUB; USPAT;	OR	ON	2006/03/15 12:52
			USOCR; EPO; JPO;	7		
			DERWENT;			
			IBM_TDB			
L63	279	62 and (anti near3 static electrostatic static near4 discharge static near4 charge)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/15 12:53
L64	12	("3750827" "4054227" "4143790" "4278716" "4405058" "4452374" "4734303" "4875597" "4900594" "4962659" "4980210" "4984708").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/03/15 12:31
L65	3	("4358493" "4451506" "4695492").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/03/15 12:33
L66	²⁶	("4980210").URPN.	USPAT	OR	ON -	2006/03/15 12:34
L67	18	("4064206" "4154344" "4156751" "4171049" "4179252" "4348449" "4477013" "4528222" "4553190" "4593813" "4647714" "4662514" "4677809" "4699830" "4706438" "4707414" "4711350" "4746574").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/03/15 12:40
L68	17	("4792042").URPN.	USPAT	OR	ON	2006/03/15 12:41
L69	16	62 and (conductive conducting conduct) near2 section	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/15 12:51
L70	5174	(barrel container) and "174"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/15 14:33

L71	302	70 and (anti near3 static electrostatic static near4 discharge static near4 charge)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/15 17:47
L72	1	10/664144	US-PGPUB; USPAT;	OR	ON	2006/03/15 14:03
			USOCR; EPO; JPO; DERWENT; IBM_TDB			
L73	320454	(barrel container) and inner and outer	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/15 14:46
L74	45418	73 and polyethylene	US-PGPUB; USPAT; USOCR; EPO; JPO;	OR	ON	2006/03/15 14:34
			DERWENT; IBM_TDB		-	
L75	3092	74 and granular	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/15 14:34
L76	287	75 and carbon near3 black	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT;	OR	ON	2006/03/15 14:35
L77	112509	(barrel plastic container) near4 manufactur\$3	IBM_TDB US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/15 14:46
L78	492	77 and blank and blow near2 mold\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/15 14:47
L79	213	78 and extrud\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/15 15:13
L80	43634	blow near2 molding	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/15 14:55

L81	4466	80 and plastic near2 container	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2006/03/15 14:55
L82	996	81 and extruder	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT;	OR	ON	2006/03/15 15:43
L83	285	blow near2 molding near4 blank	IBM_TDB US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/15 14:59
L84	47	83 and plastic near2 container	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT;	OR	ON	2006/03/15 15:42
L85	3144	blow near2 (molding mold) near3 technique	IBM_TDB US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/15 15:00
L86	642	85 and plastic near2 container	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	O N	2006/03/15 15:03
L87	_ 1	("2219270").PN.	US-PGPUB; USPAT	OR	OFF	2006/03/15 15:03
L88	1	("0219270").PN.	US-PGPUB; USPAT	OR	OFF	2006/03/15 15:04
L89	2.	("0219270").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/15 15:05
L93	0	("COEXTRUSIONANDCONTAINER").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/15 15:12
L94	43	78 and coextrud\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/15 15:30

L95	905	(split splitting) near3 blank	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/15 15:30
L96	8195	inject\$3 near3 gap	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/15 15:31
L97 _	2	95 and 96	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/15 15:31
L98	2615	"264"/\$.ccls. and plastic near2 container	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/15 15:52
L99	628	98 and extruder	US-PGPUB; USPAT; USOCR; EPO, JPO; DERWENT; IBM_TDB	OR	ON	2006/03/15 15:43
L100	379	99 and blow near2 mold\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ÖN	2006/03/15 15:52
L101	1202	264/104	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/15 15:56
L102	7	101 and plastic near2 container	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/15 15:53
L103	177	101 and (barrel container)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/15 15:56
L104	881		US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/15 15:57

L105	159	104 and (barrel container)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/15 15:57
L106	0	264/537,539	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/15 15:57
L107	662	264/537,539.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/15 15:57
L108	395	107 and (barrel container)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON.	2006/03/15 17:47
L109	196	108 and extrud\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON _.	2006/03/15 15:58
L110	175	109 and blow near3 mold\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/15 17:48
L111	18	110 and blank	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/15 15:58
L112	20463	blow near3 mold\$3 and (barrel container)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/15 16:06
L113	52	112 and (injecting injection) near4 gaps	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/15 16:21
L114	12	112 and hose near4 blank	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2006/03/15 16:26

3/15/06 5:53:51 PM

L115	429	112 and extruder near3 head	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/15 17:46
L116	28	(multi multiple) near3 layer near3 container and extruder near3 head	US-PGPUB; USPAT; USOCR; EPO; JPO;	OR	ON	2006/03/15 16:35
			DERWENT; IBM_TDB			in the second
L117	3641	co near2 extrud\$3 and container	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/15 16:35
L118	2	117 and hose near3 blank	US-PGPUB;	OR ·	ON	2006/03/15 16:36
-		*	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB			
L119	4	117 and hose near6 blank	US-PGPUB;	OR	ON	2006/03/15 16:36
			USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB			
L120	4	117 and hose same blank	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT;	OR	ON	2006/03/15 16:36
L121	33	117 and hose and blank	IBM_TDB US-PGPUB;	OR	ON	2006/03/15 17:06
			USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB			
L122	901	antistatic near3 layer and (barrel container)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/15 17:07
L123	90	antistatic near3 layer same (barrel container)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON .	2006/03/15 17:45
L124	9	("3355313" "4171049" "4333565" "4494651" "4590534" "4648508" "4662514" "4711350").PN.	US-PGPUB; USPAT; USOCR	OR	ON .	2006/03/15 17:10
L125	92	center near3 layer and antistatic and container	US-PGPUB; USPAT; USOCR	OR	ON	2006/03/15 17:11
L126	1276	(361/212-215).CCLS.	US-PGPUB; USPAT	OR	ÖFF	2006/03/15 17:48

L127	4	126 and extruder near3 head	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/15 17:46
L128	145	126 and (barrel container)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/15 17:48
L129	131	128 and (anti near3 static electrostatic static near4 discharge static near4 charge)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/15 17:48
L130	3	129 and blow near3 mold\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/15 17:48
L131	869	(361/225-227).CCLS.	US-PGPUB; USPAT	OR	OFF	2006/03/15 17:48
L132	125	131 and (barrel container)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/15 17:48
L133	106	132 and (anti near3 static electrostatic static near4 discharge static near4 charge)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/15 17:49
L134	* 1	133 and blow near3 mold\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/15 17:49